

AN INTERNATIONAL CONFERENCE ON Humanities, Science & Research

At Asha Girls College, Panihar chack, Hisar (Haryana)

27-28th January, 2024

Evaluation of Reliability Prediction Model of the Interlocking Software

Nidhi, Research Scholar, Mewar University, Chittorgarh, Rajasthan
Pradeep Tomar, Research Supervisor, Professor, Dept of ICT, Gautam Buddha University, UP



Abstract

One of the main ideas behind quality research is maintaining software reliability, which can be achieved by creating simpler applications. Although developers and additional experts must work hard in this situation, the equal of reliability is not as high as it must be. Consequently, more research into the maximum intricate instruments for assessing and improving software reliability is necessary. One important way to increase the number of applications that are highly reliable is by quantifying the reliability. The outcomes will be helpful for programmers in fulfilling software reliability standards. Enhancing software development performance and user satisfaction through the simple and efficient application of reliability management strategies is the goal of this study.

Keywords: Reliability prediction, software

1. Introduction

This paper offers a fresh approach for choosing the most reliable reliability prediction model. This attitude syndicates the tentative fuzzy (HF) sets approach, the analytic hierarchy method, and the strategy for command of partiality by comparison to ideal explanation, Procedural sensitivity stood also carried out using the numerous process iterations in order to legalize the consequences. In mathematics, fuzzy sets stand used to express the ambiguity and imprecision of verbal data. Various reliability models are treated as distinct properties in this paper. Three datasets are regarded as distinct alternatives: the Apache Lucene Server dataset, the MyLynn dataset, and the John Musa Bell Laboratories dataset. The use of multi-criteria techniques to fuzzy sets carries significant consequences. Hesitant Fuzzy Sets (HFS) are used to handle scenarios in which a single attribute can provide numerous standards. When evaluating needs across numerous decision-making criteria, decision manufacturers typically choose to allot intervals since pairwise comparisons between characteristics do not rely on visible aspects. By taking into account two lacking debugging scenarios epitomized by undeviating and exponential responsibility satisfied functions, Javaid Iqbal (2017) presents two novel software growth models. The estimated parameters for six data sets have been presented using the mean value functions of a few well-known current models and the two under consideration. A parallel assessment amid the dual models under consideration and amid a few well-known current models has been presented using three comparison criteria, namely MSE, PRR, in addition to PP. The suggested Model-2, which consistently performs better than Model-1, hysteries the definite failure data improved, and has recovering extrapolative influence than other measured SRGMs aimed at at least binary statistics sets (data-sets 3 and 4), is concluded grounded on the debate of model analysis with these judgment principles on six definite failure data sets. For four of the six data sets taken into consideration in this analysis, Model-2 actually had superior predictive potential. This suggests that Model-2 will outperform extra models aimed at each assessment criterion aimed at at least dual data sets given the assumptions, failure data sets, and comparison criteria. This difference is substantial enough to verify the models. In the context of reliability growth models, Lev V. Utkinet al. (2009) provided an innovative framework that stood investigated for merging inexact Bayesian approaches with prospect extrapolation. The framework's principal idea is to split an interest customary of classical limitations into dual subsets that correspond to essentially different parts of the global model. A paper comparing the prediction power of two well-known software reliability growing models, specifically exponential growing and variety S-shaped growth models, was proposed by N. Ahmad et al. (2011). Prior to discussing the exponential sort and variation S-shaped sort SRGM through

AN INTERNATIONAL CONFERENCE ON Humanities, Science & Research

At Asha Girls College, Panihar chack, Hisar (Haryana)

27-28th January, 2024



EW testing-effort, they went over the EW testing-effort meanings. In contrast to the conventional Weibull-type curve, K. Venkata Subba Reddy and Dr. B. Raveendrababu (2012) have presented an SRGM that incorporates the testing-effort function. We will go over three traditional SRGMs that may be obtained directly from the delay-effect factor and delayed time NHPP model. A number of numerical instances grounded on binary genuine statistics sets are shown, along with several new SRGMs that are proposed. Lorenzo Strigini and Bev Littlewood (2017) A design process based on engineering must take dependability into account. Although this area of software development has not advanced quickly, it is essential for society and individual actors to make judgements that are more effective.

2. Hesitant-Fuzzy-AHP-TOPSIS Method

For making the best decisions and resolving a variety of real-world problems, MCDM is the suitable method. The reason AHP is regarded as a well-organized technique in MCDM actions is that it offers decision-makers through an actual answer. This study likewise employs the hesitant fuzzy technique in order to get more accurate results. Although MCDM employs a number of intricate techniques, TOPSIS comes out on top due to its straightforward computation.

3. Results

The process of choosing the ideal software reliability prediction model is difficult for practitioners. This is a problem that can be solved using quantitative assessment. That being said, the increasing number of errors and device crashes during software development frequently perplexes practitioners. Such ambiguity may be the reason for missing out on expenses, time, and ultimately, the confidence of users. Selecting the best software reliability prediction and evaluation model is therefore a decision-making task. In order to tackle this problem statistically, numerous decision-making processes exist. In command to assess the weights of different software reliability models, the writers of this paper used a hesitating fuzzy grounded conclusion analysis approach. First, views were obtained for each collection of data and prediction methodologies from twenty-five academicians and professionals in the industry. In order to do this, practitioners stood asked to participate in a virtual conference where they were well-versed about prediction techniques related to various groups and provided with a scale that determined language values.

Table 1: Global weights from side to side the hierarchy

Reliability models at level 1	Local weights at level 1	Reliability models at level 2	Local weights at level 2	Global weights at level 2
RM1	0.3215,0.3681	RM11	0.0401,0.1510,	0.02558,0.05040
	0.4272,0.5635		0.02420,0.48120	
		RM12	0.0240,0.1550,	0.00660,0.05178
			0.3251,0.6190	0.11200,0.34510
	RM13	0.0600,0.1900	0.01897,0.08040	
		0.3490,1.2590	0.15500,0.72400	
	RM14	0.0539,0.1290	0.01801,0.05016	

AN INTERNATIONAL CONFERENCE ON Humanities, Science & Research

At Asha Girls College, Panihar chack, Hisar (Haryana)

27-28th January, 2024



		0.2790,0.9490	0.12490,0.55070	
			0.0290,0.0790,	0.01184,0.02952
		0.1790,0.5080	0.07940,0.27520	
			0.0510,0.1600,	0.00390,0.02020
			0.2690,1.0190	0.05036,0.27925
		RM21	0.0290,0.1300,	0.00290,0.01600
		0.2090,0.7790	0.03597,0.22030	
		0.0590,0.2390	0.00603,0.03030	
			0.4300,1.2090	0.07300,0.33800
			0.0490,0.1600,	0.00502,0.01890
		0.2990,1.0300	0.05101,0.28490	
		0.0190,0.0690	0.0100,0.01090,	
		0.1090,0.5290	0.02032,0.14090	

4. Conclusion

As the specialists have noted, good reliability is entwined with sufficient consistency. As a result, this relationship has forced practitioners to prioritise reliability above all else when developing novel methods to meet the intended goal in this particular situation. Organisations can attain a satisfactory level of efficiency with the use of straightforward solutions. The majority of technology companies in this league adopt innovations that simultaneously increase efficiency and reliability. This empirical analysis's primary goal was to evaluate software development prediction models for software reliability. To do this, the evaluation section of the paper unifies all software dependability models for evaluation. Furthermore, the dataset options demonstrated how the analysis affected different datasets. The outcomes will be helpful for programmers in fulfilling software reliability standards. Enhancing software development performance and user satisfaction through the simple and efficient application of reliability management strategies is the goal of this study.

References

- [1]. Tae-Hyun Yoo "The Infinite NHPP Software Reliability Model based on Monotonic Intensity Function" July 2015.
- [2]. S. M. K. Quadri, N. Ahmad, Sheikh Umar Farooq "Software Reliability Growth modeling with Generalized Exponential testing –effort and optimal SOFTWARE RELEASE Policy" February 2011
- [3]. Bijoyeta Roy¹, Santanu Kr. Misra², AradhanaBasak "A Quantitative Analysis of NHPP Based Software Reliability Growth Models" January 2014
- [4]. Richard Lai*, MohitGarg "A Detailed Study of NHPP Software Reliability Models" JOURNAL OF SOFTWARE, VOL. 7, NO. 6, JUNE 2012
- [5]. JavaidIqbal "Software reliability growth models: A comparison of linear and exponential fault content functions for study of imperfect debugging situations" 20 January 2017