INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, iajesm2014@gmail.com, ISSN -2393-8048





Vandana Sharma (Dept. of Biotechnology), Research Scholar, SunRise University, Alwar (Rajasthan) Dr. Ravi Bhatnagar, Professor (Dept. of Biotechnology), SunRise University, Alwar (Rajasthan)

ABSTRACT

Solid waste management (SWM) in India faces challenges including inefficient waste segregation, limited technology adoption, and insufficient government support. This paper highlights the urgent need for reforms to enhance SWM practices through education, awareness campaigns, and innovative technologies promoting recycling and composting. Investment in research for indigenous SWM technologies and policies supporting cleaner production methods are crucial. Collaboration between stakeholders is essential to develop integrated waste management systems achieving environmental, economic, and societal benefits.

Keywords: Solid waste management, Stakeholders

Introduction

WIKIPEDIA

The process of production involves transforming relaterials, labour, and energy into a final product or service. A mathematical depiction of the decisions made by the company to construct its manufacturing process is the production function. The function determines the highest output possible given the inputs of manpower and capital. The function and variables are reliant on the technological circumstances that are external to the system. Besanko and Braeutgam (2013) note that these conditions could change as a result of technological progress, which would alter the production function. The effects of technological development on the manufacturing process's inputs and outputs are examined in this paper.

Indian cities produce hundreds of metric tonnes of solid waste per day in terms of kg/capita due to people migrating from rural areas to urban centres in search of better economic opportunities, higher living standards, and faster industrialization (Vyas et al., 2022b). World Bank estimates put the annual solid waste production from municipal, agricultural, and industrial sources at 2.01 billion tonnes; this, in turn, causes air pollution and diversification, which in turn upsets the whole ecological system (Nguyen et al., 2020). The accumulation of solid trash in cities and other urban areas is an issue that affects people all over the globe (Azadeh et al., 2019). Because of the severe environmental damage that SWG can inflict, most developing nations consider this a major challenge (Ogorure et al., 2018). Usmani et al. (2020) found that basic services and sanitation were greatly affected by the increased solid waste output in metropolitan areas, including water supply, transportation infrastructure, waste management, and sanitation.


Recently, there have been significant endeavours to utilise cutting-edge technology and smart sensors to transform the waste management business into one that is more productive and environmentally friendly. Complex tasks and non-linear criteria are inherent to waste management processes due to the presence of several interrelated mechanisms and the vastly different socioeconomic and demographic factors that impact each mechanism individually. Achieving high efficiency in SWM frameworks without compromising other environmental and health elements is a tough task (Vyas et al., 2022a). The emerging AI methods are being assessed to see if they are applicable to the SWM domain. The field of artificial intelligence focuses on creating software that can mimic human intelligence in areas such as solving problems, comprehending, interpreting, identifying, justifying, and being aware of one's surroundings (Abdallah et al., 2020). Some examples of AI models that can handle insufficient problems, adapt complex models, and draw judgements are artificial neural networks (ANN), competent systems, genetic algorithms (GA), and fuzzy logic (FL). One use case for MHS is the segregation of urban garbage. It's a multilayer hybrid deep learning system. Specifically, it uses convolutional neural networks (CNNs) to extract picture characteristics and multi-layer perceptron (MLPs) to combine those features with other data in order to classify trash as recyclable or non-recyclable (Bolatkhan et al., 2019). Solid waste includes municipal solid waste (MSW), industrial waste (IW), hazardous waste (HW), and electronic waste (EW). It

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, iajesm2014@gmail.com, ISSN -2393-8048



shows the results of a collaboration between artificial intelligence (AI) and physio-chemical technologies that aim to recover the best resources, such as biofuel and biochar, while also ensuring high yield and qualitative management. Although they are distinct areas of computer science, machine learning (ML) and AI are highly related. Building computer networks capable of tasks normally performed by humans, including as understanding natural language, making strategic plans, and recognising voices, is what artificial intelligence is all about (Abdallah et al., 2020). The expansion of AI systems and the limitations of traditional computational methods have led to the widespread adoption of AI-related concepts across various academic fields, including healthcare, cultural studies, and environment (Yigitcanlar and Cugurullo, 2020). Indeed, artificial intelligence has been widely used in environmental research to address problems including air pollution, sewage treatment and wastewater design, soil modelling, groundwater amendment and contamination, and SWM planning and execution. Artificial intelligence (AI) risk assessment methods such as Adaptive Neuro Fuzzy-Inference System (ANFIS), Multiple Layered Perception (ANFIS), Multiple been employed to foretell the intensities referentements and particulates (Abdallah et al., 2020). In addition, MLP has proven to be a reliable method for predicting environmental CO, O3, and NO2 layers. According to Falamaki and Shahin (2019), ANFIS has proven to be beneficial when it comes to optimising and designing the mechanisms of water and wastewater treatment facilities. The anaerobic digester changes and flocculates to remove the turbid amount, and ANFIS anticipated that the treatment plant of wastewater would produce biogas and effluent high volatility particles (Adeleke et al., 2022).



Source: https://enterclimate.com/blog/elements-of-solid-waste-management/

The integration of computational techniques with genome information can also enhance the performance of microbial factories in waste management and pollution (Mohanty et al., 2021; Prajapati et al., 2021). Using machine learning or modelling techniques in conjunction with the comprehensive metabolic and functional data obtained from omics technologies (metabolome, transcriptome, proteome, and metabolome) has shown to be highly effective in identifying the precise function or feature pertinent to treatment procedures. Combining metabolic data with computer methods not only yields a better answer, but it also expands our understanding of the metabolic capabilities of microbial factories (Guo and Li, 2023). The results of management techniques can be enhanced by incorporating in-silico based methods (Bhardwaj et al., 2014; Shrestha et al., 2017). One example is the discovery that machine learning-based systematic research of important microbial groups' complicated ecological connections led to a significant improvement in membrane bioreactor system management (Wijaya and Oh, 2023). Currently, artificial intelligence is commonly used in solid waste management (SWM) for a variety of purposes, including but not limited to: optimising routes for refuse collection trucks, navigating disposal facilities, and simulating waste transformation mechanisms (Asadu et al., 2019; Yigitcanlar and Cugurullo, 2020). There has been a dearth of published assessments of AI research that could have a wide range of waste-related applications, including biogas generation, optimisation and modelling of waste combustion processes, and petroleum waste management (Chen et al., 2022). The various artificial intelligence methods that can be employed to plan the amount, composition, and frequency of trash generation have been the subject of multiple publications. Most of the other assessments just looked at the AI methods used to predict how often MSW would be generated based on demographic and socioeconomic

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, iajesm2014@gmail.com, ISSN -2393-8048



PC

factors (Sunayana and Kumar, 2021). Lastly, we investigated the potential applications of optimisation algorithms based on artificial intelligence in solid waste management (SWM), including waste production estimation, refuse collection mechanism maintenance, trash bin supervision, and dumpsite navigation (Gonçalves Neto et al., 2021). In order to promote even more progress in this area, it is necessary to conduct a complete and exhaustive discussion of current projects and published data regarding the possible use of AI approaches to address the wide variety of issues affecting SWM areas (Das et al., 2019). When faced with unpredictable and imprecise data, as well as insufficient problems solved by human experts, artificial intelligence (AI) has demonstrated to be highly effective. There has been a lot of study in this field, but few review studies have actually looked at how well AI can solve different problems with SWM.

The Mechanical needs for a system for Managing waste

Essential components of waste management include advances in technology, shifts in consumer behaviour, and the back waste management system's efficacy and efficiency mosuloptake a hit if any of these components is lacking.

Essential for SWM waste segregation

The present SWM system is based on garbage collection by municipal corporations and disposal at landfills. While paying just Rs. 100-200 per tonne for disposal, the Bangalore municipal corporation spends Rs. 2400–2800 per tonne on rubbish collection. Due to the lack of motivation to properly dispose of it, it winds up in a landfill outside of Bangalore, where it contributes to the environment The collection crew lacks the necessary training to maintain the separated trash in its original form. Despite efforts by garbage generators to separate their trash, collection workers sometimes mix the different types of trash when they deliver it. Although waste segregation is essential, it is equally crucial to keep the segregated trash in the same form for processing efficiency and competitiveness. Some vendors were adding water to the plastic trash, making it heavier, according to one entrepreneur who was processing this material. The waste management process became more complicated and material acquisition became more expensive as a result of this behaviour. Recent advances in the field have shown how inadequate the current workforce is (Dervojeda et al., 2013). The development of technologies capable of handling mixed trash presents an opportunity for composite waste management without requiring waste generators to alter their current segregation practices. There are some nations that use this idea, however it doesn't recover much energy and, if not done well, can even increase pollution. One of the intangible benefits of consumer awareness is a decrease in waste, which in turn can reduce future government spending on this issue. In certain nations, garbage collection and disposal are handled at the regional level. As a result, the generators become better informed and take an active role in the management process. This has the potential to generate innovative approaches to waste disposal and new uses for the final product. Households sort their own kitchen or wet garbage before it is collected and processed by the community or housing complex, which is an example of decentralisation in waste management. The compost that is produced can either be utilised for on-site gardening or sold separately from the biogas to generate some extra cash. Additionally, this decentralised approach can be used at the level of individual municipal wards.

The Consequences of handling trash in an Unscientific Manner

Solid waste management has a significant impact on public health. There may be health risks associated with allowing solid waste to accumulate carelessly or using non-scientific disposal methods. The improper disposal or burning of biological waste poses a health risk because of the potential for the release of harmful gases or the proliferation of germs. Those living in close proximity to landfills should be aware that improperly managed municipal solid waste can cause harmful emissions of greenhouse gases like sulphur and methane. Additionally, it draws in vermin like rats, who can spread disease through their saliva. A respondent brought up the plague in Surat, India, and how it was exacerbated by flooding due to faulty SWM:

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048



'The epidemic that hit Surat a few years ago was caused by this municipal solid garbage. Rats invaded the city, which led to its closure for 35–40 days and a global reputation for filth.'

In order for SWM to work, the public must be more actively involved in sorting trash and delivering it to the appropriate processing or recycling facilities. Recyclers can use dangerous and poisonous methods, endangering the health and life of those who come into contact with the recycled plastic. Burning waste plastic for fuel releases extremely toxic vapours that can cause cancer and other health problems.

The ecosystem could be negatively impacted in various ways by improper SWM. Following collection, raw garbage is segregated, with the majority of the remaining material being organic waste, which is then sent to landfills for processing. If left to decay in the open, it can cause the release of greenhouse gases, the formation of leachate that can irreversibly contaminate land and underground water tables, and the deterioration of living conditions for those nearby.



Source: https://prismcalibration.com/waste-management-system-importance-methods/

Disruptions to processing systems caused by lack of segmentation

Current SWM systems have failed for a variety of operational and technological reasons, according to the majority of respondents. One defining feature of these systems is their sole requirement for biodegradable or non-biodegradable waste. Because of this, these systems would be useless or ineffective if the trash was not segregated. Certain waste streams, including food scraps, plastics, paper, glass, metals, etc., rely on the waste management system, and if these streams are not segregated, the system might become clogged. In order to guarantee a steady supply of raw materials for their processes, entrepreneurs feel compelled to take measures to separate trash at the source. The presence of non-biodegradable trash in the input could decrease the effectiveness of a waste processing facility that produces biogas from moist waste or food scraps. Units dealing with dry recyclable waste would also discover that mixing this fraction of garbage with wet waste greatly impacts its usability and downstream market. Dumping this non-biodegradable waste alongside the biodegradable waste makes little sense; the biodegradable parts eventually break down, but the non-biodegradable parts end up in the compost, reducing its effectiveness even further. Decomposed garbage needs to be placed someplace else and cannot be utilised for productive reasons, therefore reopening the landfill and removing it to reuse it is no longer an option. In Delhi, 1600 tonnes of dry recyclable material goes unrecycled because of improper sorting costing the corporation a significant amount of money. Paper, plastics, and various metals make up the bulk of the nonrecyclable section. As an example, one respondent brought up:

To illustrate the point, "What do you think will sell better, dirty food material stuck to paper or waste paper?"

Many factors contribute to the low prevalence of segregation in India. One major issue is the inadequate teaching of the merits of segregation. Waste management strategies can benefit from data that can be created and analysed through education and research. Cities in certain developing nations are becoming cleaner as a result of increased public responsibility, better knowledge of solid waste workers' plight, and increased funding for education and research (Guerrero, 2012). Second, people have the wrong idea about how to properly dispose of trash. Being seen to be dealing with garbage is deemed improper in certain parts of Indian society. People of lower social classes are stereotyped as being the only ones capable of performing the

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, iajesm2014@gmail.com, ISSN -2393-8048





menial tasks associated with garbage management. The public's apathy towards garbage segregation and effective management practices could be the third factor. There are many who believe that local governments should shoulder the burden of trash management. Therefore, the general population is uninvolved with garbage. Since segregation at source is seen as a key component to an effective waste management system, this ignorance diminishes the likelihood of achieving that goal. As a result, the focus is moved away from the waste generators and the full burden of accountability for ineffective waste management is placed on someone else. Sorting recyclable materials like paper, plastic, glass and metals before sending them to recycling facilities is the optimal waste management practice. Due to ineffective segregation methods, only approximately 10-15% of trash impoorer nations is actually recycled (Khajuria et al., 2010, Leverenz et al., 2002).

Technological Progress in SWM Industry

Lack of research and development in SWM techniques: Promoting waste processing machinery as a long-term, practical in the technology are two of the industry's biggest obstatles. There has to be more investment in this area of study in order to turn this expensive technology into reliable and acceptable SWM systems, which is a problem in India. According to what Dechezlepretre and Sato found (2009), environmental restrictions have the potential to spur innovation in the EGS industry, while guided technological development can contribute to economic growth. Thanks to the Canadian IT provider's selfless intentions, one respondent overcame these obstacles. Among his points were:

'The technology wasn't free. I was fortunate that it was not too steep because the man was well into his eighties and insisted that a trip to India be his first priority. I know you aren't a government agency or a multinational corporation because you gave me that large sum of money, he went on to say. Every time I think about how little he parted with his technology, I am grateful to him. Because of that, we are able to accomplish our goals, and I consistently provide him with my reports. I can't express how delighted he is.'

But this isn't the situation for most manufacturers, and there aren't nearly enough indigenous Unfortunately, not all methods for recycling solid waste into valuable R&D initiatives. products or intermediates have been well tested, and as a result, not everyone is happy with the final result. Consequently, investors and bankers are uninterested in providing funding for such endeavours. One less common method is depolymerization, which can turn plastic trash into oil or fuel. The input plastic trash must be of the correct quality, free of other fraction contamination or even variation from the standard input quality, for it to work. Therefore, this method does not enjoy widespread acclaim in India. Because of this, both research and use of the technology suffer. Furthermore, the technology is unrecognised by the government, which means that no subsidies, grants, or benefits are available for it. Now it's up to the entrepreneur who intends to use it to develop the technology, put it into action, and demonstrate its effectiveness as a project for a few years to prove its worthingss of wider adoption. Solid waste cannot be practically excluded due to the high expense of technology. The market failure that causes solid waste to become a bad thing in the first place can be fixed by making it excludable (Kolstad, 2006).

There is new, safe technology available in certain areas of waste management. Wet waste converters are a part of these industries, which mostly handle biodegradable waste treatment. Some of these technologies, however, are expensive and confront stiff competition from foreign technologies. Therefore, additional research and development of indigenous technology must be conducted with a focus on safety. In order to promote the machinery industry's involvement in solid waste management and increase research in this field, the country's pollution control boards could play a significant role.

Exorbitant expense of organic waste management technologies

There is an example of an organic waste processing method that has been engineered to produce additional valuable products with minimal emissions of greenhouse gases. Compared to

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, iajesm2014@gmail.com, ISSN -2393-8048



landfilling and composting, this process is more cost-effective (Khajuria et al., 2010; Sharholy et al., 2008; Bundela et al., 2010). According to the respondent:

'Thus, biogas is produced via anaerobic reactions. This valuable gas has the potential to supplant LPG. You may make an hour or two's worth of LPG gas per day from four or five kilogrammes of garbage from a family of eight or ten.'

Not to mention the compost that will remain as a byproduct. If additional garbage needs to be collected and processed, this approach can be easily scaled up to the area, locality, or municipal ward level by using larger equipment. For this technique to work, trash segregation must become second nature. Biomedical waste management is another concern. As a result of its common mixing with other types of trash, this material poses a significant threat to the health of anyone who handles it. Workers who dealt with this trash component reported infections, rashes, skin sensitivities, and other similar symptoms. A new product that incinerates biological waste in a way that doesn't pose any health risks to the handlers, doesn't produce pollution during incineration, and generates in a way that doesn't pose any health risks to the handlers, doesn't produce pollution during incineration, and generates in the free Encyclopedia.

In several economies, the SWM industry has developed in distinct ways. When it comes to solid and liquid waste, the developed world's SWM industry is more concerned with developing cleaner production technologies than developing world countries. The seamless transfer of waste management practices from industrialised to emerging economies has been made possible by these several streams of advancement (Barton, 1997). While some technologies have been developed in-house, others have come from outside and might be easily imported to India, according to some respondents. One of the responses uses in-vessel composting technology that was created by a Canadian. Instead of letting organic waste decompose naturally, which would take at least four or five weeks, this technology manipulates the environment inside the decomposition vessel to increase heat and air movement, speeding up the process and generating the output in a significantly shorter amount of time. When compared to a conventional organic waste processor, this improves efficiency because it allows for the treatment of more waste the same period Transmitting technology as a supplier-supplied "knock-down kit" was one proposed solution to the problem of high technology transfer costs. This might be improved upon, tailored to local needs, and then assembled in India, resulting in more affordable costs. In the long run, this might cause technology to be transferred to India and its experts to grow, which could make the country the global leader in **SWM** research and production. New prospects for businesses in this field may also arise as a result of environmentally friendly legislation that aim to generate positive externalities. According to Dervojeda et al. (2013), these opportunities may become more available as a result of new technical breakthroughs that are happening at the same time. There is new technology that can handle mixed waste, but most companies still have a hard time sorting garbage into dry and wet parts. One case in point is when the company can get rid of trash without ever having to clean or sort it. As the trash makes its way to the main processing unit, it is separated into several fractions using laser technology, which is attached to a conveyer belt. The various components, including organic trash, dry waste, recyclable garbage, etc., are further processed according to the necessary steps. It is also not necessary to pre-treat the trash when using mechanical grate technology. Decentralisation determines how much it will cost for waste generators to invest in selfmanagement of their garbage. Although it could be out of reach for a single family's budget, it could work out well for a cooperative society with many users and contributors. As an example, consider the following product:

'We guarantee that our stainless steel, durable product will last for at least fifteen to twenty years. Consider a case of 500 flats as an example. The one-time investment required for each flat will be just 2000 to 2500 rupees.'

Recycling food scraps into new goods



AJESM

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048



PC

It is clear from the cases reviewed that compost, organic fertilisers, and biogas are among the products that can be made from kitchen or wet waste, depending on the technique utilised. According to Gupta et al. (1998), if the gases released into the atmosphere during decomposition are not properly handled, they can pose health risks to local residents. Many of those who took the survey were involved in some way with the organic waste management process, whether it be the production of compost, gas or both. One company caters to the urban market for organic waste management by manufacturing and selling converters for organic waste. In a short amount of time, they may transform organic garden waste, food scraps, and other organic refuse into a powerful soil conditioner. A different company offered a device that used a slightly different approach to trash processing, allowing it to additionally collect the biogas that was produced during decomposition. Looking at the demand and cost of the final products, this machine was aimed at both the urban and rural markets.

Risks associated with handling inorganic and biomedical waste

Hazardous waste is one important sector with the property in the property in the property is a sector with the property in the property in the property is a sector with the property in the property in the property is a sector with the property in the property in the property is a sector with the property in the property in the property is a sector with the property in the propert serving to protect both humans and the environmental Friender to facilitate the transportation of hazardous waste, this rule may pave the way for the creation of ancillary environmental services. Biomedical waste management is more complicated and important than municipal solid waste management. Companies that specialise in solid waste management (SWM) charge hospitals a fee to handle biomedical waste because it is required of them to incinerate this type of garbage and the penalties for not complying are severe. Medical facilities are required by law to separate their bioorganic waste into specific bags based on colour coding; once collected, the trash collector sorts the bags according to the specific protocols for each colour. Although there is a well-established method for converting biological trash, inorganic garbage, and plastic waste in particular, are considerably more challenging to manage and transform into a more valuable final product. Using pyrolysis technology for waste management, one respondent-firm does not have to wash or separate plastic trash into distinct categories like HDPE, LDPE, PVC, 32 multi-layered plastic, etc. The refined liquid product is a high-quality fuel that could replace diesel or furnace oil in the future. The produced oil is less harmful to the environment because it is sulphur-free, much like the plastic waste. Finally, the input plastic waste's impurities can be utilised for a variety of industrial uses, leaving behind carbon sludge. The scientific or engineered landfill approach is another option for mixed garbage that contains non-degradable materials. This method involves lining the landfill to prevent leachate from seeping into the earth and contaminating groundwater. After then, the landfill is covered so that the biodegradable trash can break down. The process's byproduct, biogas, is collected and either put to use or sold. When the landfill's contents have decomposed for a few years, the compostable and non-biodegradable parts are removed and treated properly, turning the trash into a resource again. Khajuria et al. (2010) and Sharholy et al. (2008) state that this strategy is significant since it decreases the demand for land, a rare and costly resource with high opportunity costs.

Measures to Improve Existing WM System in India
The necessity of pre-segregation prior to collecting

Some respondents, constrained by their own resources, have come up with innovative approaches of overcoming the operational challenges discussed earlier. There is no extra load on the waste generator to do the precise segregation when the operations necessitate a particular stream of trash. They instruct the generators to gather all the dry trash into a single bin. The collectors themselves sort and gather the necessary materials during the collecting process. They may, for instance, sort their trash into different bins for paper, plastic, and cardboard, and then use that material in their processes. They then sell the separated glass, metal, and other materials to the appropriate recycler. Their labour required for segregation will increase with this strategy, but the client will be happy to continue using their services because they will only have to deal with basic segregation. Consequently, although some businesses require presegregation of waste before collecting it, others prefer to collect it first, and then segregate it.

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048



The second option saves time for the trash producer, but it might not lay a solid foundation for teaching people about the advantages of segregation. Some businesses came up with the idea of optimising transportation and collection schedules and routes using data analytics in cases when there is a scarcity of drivers and cars for trash collection, as well as a need to lower collection expenses. In response, one of the participants said:

'To make the system more authentic and efficient, we have established an Enterprise Resource Planning (ERP) system to track and monitor our activities.' This makes us the only waste management organisation in India to have done so.

To ensure the most efficient use of collection expenses, customer satisfaction, and transportation to waste treatment facilities, route planning and mapping are essential when small vans or trucks are used for door-to-door waste collection. Every day, data analytics and IT are utilised to plot the supply and demand, and ERP and other IT technologies are used to interact with the collectors on the grand the prophytian crew are now informed of the next pickup site and the distance using computer-based applications similar to Ola and Uber. This has modernised the communication channels and minimises transportation costs. In addition, these models are continuously improved and updated according to demand and customer and transporter feedback. In a different case, one company decided to invest in door-to-door waste collection after realising that dry and recyclable trash was getting mixed up with wet trash, rendering the former useless. They now have 35 vehicles that go straight to the facilities of the waste generators to collect the trash. The sellers could even establish trust in the collection process by registering for a convenient date and time for the crew to pick up the rubbish through phone or an app. Before the material was centralised at the firm's facilities, the sellers' place was where the major segregation occurred. Then, the firm auctioned off the wood, glass, metal, and other fractions to recyclers in those areas. The fractions' recyclers saw this to be an advantageous arrangement, so they were ready to pay a little more to cover the company's shipping costs.

Source: https://www.frontiersin.org/articles/10.3389/fenrg.2021.609229/full

RECYCLE

REDUCE 🥞

4R's of Waste Management

In an effort to address the issue of garbage contamination, one businessman attempted to establish his own collecting centres in close proximity to the locations where waste was generated. When the company started having problems with purchasing trash from private collectors—who would occasionally add/water to the blastic frash, making it heavier and increasing the payment—this experiment became necessary. The processing system ran into trouble since it relied on dry plastic for fuel production. Some of the actions of bulk trash generators, including cooperative housing societies, have given rise to a solution that encourages segregation. For instance, according to one reply, a Bangalore housing society bought the necessary equipment to handle their kitchen garbage on-site. Each member is required to sort their own trash and store it in a designated container provided by the housing cooperative. Defaulting members would be fined if they did not comply. Also, there will be a fine of 500 to 1000 rupees (or more) for anyone caught polluting on society property. If this fine is not paid, the defaulter's energy will be cut off. The result is a highly functional waste management system and a high rate of compliance. As a result, the housing society is able to save money by reducing its reliance on municipal collection services and by reusing kitchen waste as compost for the gardens on site, rather than purchasing it from outside sources.



INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048



Multidisciplinary Indexed/Peer Reviewed Journal. SJIF Impact Factor 2023 = 6.753

Separation resulting in more efficient use of available resources

Biogas companies are the most bullish on the industry's long-term prospects because their product is a low-cost alternative to a crucial but costly import—liquefied petroleum gas (LPG). Above and beyond the financial aspect, one corporation prioritised the social aspect. As the reply pointed out:

'With a daily output of about 16–17 tonnes, we now employ over 220 people. As a result of ongoing expansion in Delhi, we may be able to open a second facility there in the next year, bringing our total output to 60 tonnes.'

This leaves a massive void that must be filled based on their ability to handle the garbage. Since these companies' efficiency is obviously dependent on the quality of the feed they get, non-segregation of waste could have a negative impact on their profitability. Even if the cost of the garbage would be proportional to its tomage, the amount of usable material would be significantly lower because of the contamination. So, the cost per unit of input would rise as a result of having to spread the expense Werk replaced machinary would idle more due to the decreased amount of potential waste, which would lessen the favourable effect of depreciation on their income statement. Companies with a lot of employees often take on the role of "turnkey operators," meaning that they construct the whole plant, supply and install the machinery, test it, commission it, and then run it and keep it running. Customers have the option of footing the bill for both the initial investment and ongoing operational expenses, or they can put their money where their mouth is and let the business make money. Customers often provide captive demand for their own gas production by using it in their own kitchens or canteens. Respondent A recounted His Personal Journey of Growth:

'From 373 MT in 2012, when we first began operations, to 30000 MT in 2020, we want to increase this amount through our ongoing efforts.'

Thus, waste segregation has aided in the effective use of enterprises' capacities and may lead to increased market competitiveness and efficiency.

Combining several waste management systems

Considering the paucity of waste management companies and the increase in waste creation, the expansion of businesses in the SWM industry is pretty satisfactory. With the right setting and circumstances, most people who took the survey see room to expand their businesses. With a capacity of 300 tonnes per day stretched to 8000 tonnes per day operational and 4000 tonnes under implementation, they have grown from one unit in 2003 to 80 units in 2012, according to one of them. Among the proposed expansion plans was the incorporation of various SWM components. Combining and controlling many waste streams, Integrated Waste Management Systems (IWMS) ensure that all garbage is properly collected, treated, and disposed of. The three Rs—reduction of waste at the source, recovery of resources, and recycling—are all part of these systems, which turn trash into something used again. In order to meet the standards for sustainable growth, McDougall et al. (2001) discovered that IWMS help accomplish the three parts of the triple bottom line: environmental benefits, economic optimisation, and societal acceptance. Waste management organisations are impacted by changes in user industry trends since the end product of one industry serves as an input material or fuel for another. One company's process waste can be put to use in travelling grate boilers, for instance. But now that industrial technology has advanced, these moving grate boilers are obsolete; they are being replaced with more efficient units that don't need RDF. Consequently, the company opted to alter its manufacturing methods in order to generate biogas and compost, which are more generally accepted by the public. There is room to engage in comprehensive services like advisory that focus on the full waste cycle, from awareness to generation to collection to transportation to handling to processing and conversion, in addition to providing physical and tangible solutions for trash management. Given that many customers are confused about the SWM cycle, this is especially crucial. The collection and conversion steps may be unclear to some, even when they understand the disposal step. Therefore, some businesses opt to present

INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048



PC

clients with the overall picture and educate them about the process as a whole by concentrating on holistic operations. The first step is a waste audit, during which the company attempts to examine the client's trash-generating process from every angle, including the amount, composition, and logistics of the waste. Because every customer has specific, one-of-a-kind needs, we treat them all as individuals. We also take each client's local solid waste management system into account when doing our research. In cities with an effective system in place for managing non-degradable garbage, for instance, we shift our attention to organic waste management. The next step is to sell the client the necessary equipment; some companies even handle the processing unit's day-to-day operations and maintenance. Various models exist for handling the byproducts, including biogas and compost. Some businesses charge a flat rate and then hand over the finished product to the customer. Clients receive a portion of the firm's output in some cases. As an added bonus, some companies even let customers choose whether or not to use the liquid waste as fertilisers or pesticides in their own gardens and farms. Businesses in the organic waste management approaches pedia

Recognition of the SWM sector and the expenses of technology

Government and regulatory agencies still fail to adequately acknowledge the SWM industry, its technology, and its output. Because of the many rules and fines associated with trash disposal, waste generators are wary of working with an upstart company. This is due to the fact that the waste generator could be held liable in the event of a failure by the waste processor. As a result, establishing operations and obtaining suppliers are challenges for small businesses in this sector. The fact that there are many different parts to this sector can explain why it isn't recognised as a whole. The paper collection industry is distinct from the food waste management industry. Trying to pin down the sector is a conundrum. A respondent mentioned: 'The question of how to classify this sector remains open. "Look, there are plastic recyclers and metal recyclers, so no player in the treatment facility has been a waste management company. The challenge is how do people start accepting this industry?'

Paper, plastic, metal, glass, damp trash, and many more types of waste might be separated. Plastic, for example, could include PVC, HDPE, LDPE, multi-layered plastic, etc., all of which exist within these fractions.

While a company's inputs and outputs are sometimes used to categorise them, the most important thing is the method they take as a whole. As an example, a company that converts plastic trash into fuel is generating positive externalities by reducing plastic waste, but it is also part of polluting industries like the chemical, plastic, or petroleum sectors. Furthermore, it lessens the requirement to import crude oil. Authorities, customers, and other interested parties all attribute unfavourable biases to this misclassification.

When the business is not regulated, it creates an unstable climate where SWM firms sometimes struggle to find the resources they need, including money or people. While one local business owner has 35 cars for collecting dry debris he often finds himself short-handed since drivers and collectors go to more reputable companies. In a similar vein, traditional financial institutions are wary of lending to these sectors in favour of more tried and true methods of supporting well-established manufacturing companies. He speculated that the business would gain traction with the help of government support, which would reassure risk-averse banks and other financial institutions.


Numerous international success stories serve as models for similar endeavours in India, with some localised adjustments. In response to the nearly 7,000 tonnes of garbage that ended up in landfills in the Chinese city of Guangzhou, one responder gave the example of a waste-to-energy scheme there. The amount of waste has decreased by 80 to 90 percent since this waste is now utilised as a resource to produce energy. In a similar vein, another respondent described a decentralised waste management system he witnessed in a South Korean city. Almost every building, from homes to hotels to businesses, had its own machine that collected trash and



INTERNATIONAL ADVANCE JOURNAL OF ENGINEERING, SCIENCE AND MANAGEMENT (IAJESM)

January-June 2023, Submitted in May 2023, <u>iajesm2014@gmail.com</u>, ISSN -2393-8048





Conclusion

In conclusion, the importance of improving solid waste management (SWM) in India cannot be overstated. The current challenges faced by the SWM industry, including inefficiencies in waste segregation, inadequate technology adoption, and insufficient government support, highlight the urgent need for comprehensive reforms. Efforts to enhance waste segregation practices through education, awareness campaigns, and innovative technologies are critical. Encouraging proper waste disposal habits and improve environmental outcomes. Investment in research and development for indigenous SWM technologies, coupled with policies that promote cleaner production methods and sustainable waste disposal practices, will be essential for driving industry growth and environmental sustainability. Furthermore, collaboration between government agencies, privally international partners is crucial to developing integrated waste management systems that address the triple bottom line—environmental, economic, and societal benefits.

REFERENCES

- ➤ Mohan, S., and Gandhimathi, R. (2009). Municipal solid waste management in India: From waste disposal to recovery of resources? Waste Management, 29(3), 1163-1166.
- ➤ Kumar, S., et al. (2017). Waste management in India: A status report. Journal of Environmental Management, 207, 220-230.
- ➤ Singh, R. K., et al. (2016). Waste to energy potential: A case study of India. Renewable and Sustainable Energy Reviews, 54, 1379-1388.
- ➤ Sharma, H. B., et al. (2019). Extended producer responsibility: A need of Indian perspective. Journal of Cleaner Production, 218, 222-231.
- Mukherjee, S., et al. (2017). Community based decentralized waste management: A review. International Journal of Environmental Science and Technology, 14(5), 1035-1046.
- ➤ Sengupta, S., and Bhowmick, S. (2019). Management of plastic waste: An Indian perspective. Resources, Conservation and Recycling, 140, 202-211.
- ➤ Kaza, S., et al. (2018). What a waste 2.0: A global snapshot of solid waste management to 2050. Washington, DC: World Bank.
- ➤ Ministry of Environment, Forest and Climate Change, Government of India. (2016). National policy on solid waste management.



