International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> =8.152, **January-June 2025, Submitted in March 2025**

Therapeutic Uses of Selected Folk Medicinal Plants at Sacred Grove of Churu District

Deependra Solanki, Associate Professor, Department of Botany, Govt. Science College, Sikar (Rajasthan)

E-mail: solanki.deependra@gmail.com

Prof. (Dr.) J.B. Khan, Principal, R.N. Ruia Govt. College, Ramgarh Shekhawati, Sikar (Rajasthan)

E-mail: dribkhan@gmail.com

Abstract

The traditional applications of plants in medical procedures and treatment of various ailments are offering hints for new research directions as people have been using them since the time immemorial. However, there is not a plenty of documentation regarding the medicinal applications of native plants in rural areas of Rajasthan including Churu district. To overcome the adverse effects of changing lifestyle, side effects of allopathic medicine systems and use of pesticides in food on the human health, it has become necessary to use ancient knowledge of traditional remedies based on ethnomedicinal plants. The present study is focused on ethnomedicinal uses of 64 medicinal plants found in Taranagar tehsil of Churu District. It is based on discussions with local tribes, old age people, ayurveda practitioners, and other reliable sources. This study elaborates the use of either whole plant or plant's parts like root, shoot, fruits, leaves, flowers, bark and seeds in the form of natural state, paste, decoction, powder, dried part etc. in healing the various ailments.

Keywords: Sacred Grove, Medicinal Plant, Phytodiversity, Ethnomedicine.

Corresponding Author: solanki.deependra@gmail.com

Introduction: Ever since coming into view on the earth, some million years ago, human being has been utilizing plants to fulfill his requirements of fundamental needs like food, shelter and medicine. Earlier human being used to live a nomadic life and his only objective of life was to procure food. During the course of time, his knowledge about plants enriched and he started exploiting plants and plant products for medicinal purpose also (Singh & Singh, 2010). The Indian continent is considered as one of the mega biodiversity countries in the world as there are 10 biogeographic regions in the country. Desert, forest, grassland, marine ecosystem are having diversity of physical and climatic features and exhibit a huge pattern of biodiversity (Khan & Gora, 2012).

Ever since coming into view wild plants and their extracts obtained from their parts play an important role in treatment of various diseases. People have been using them to meet their basic and daily needs. Since the time immemorial the plants are still used to treat different diseases and to provide livelihoods. About 80% population of the world use medicinal plants to get rid of diseases and ailments (Toksoy *et al.*, 2010).

There are many medicine systems like Ayurveda, Homeopathy, Unani and others. These all systems are based not plants and their extracts. The Allopathic system is most popular now a day but it has many side effects and it does not provide satisfactory results. On the other hand, medicinal plants do not have side effects and uproot the diseases at all (Kumari *et al.*, 2011).

Medicinal plants are more beneficial due to fewer side effects and better results and patient satisfaction. Bhandari (1990) stated that 87 families, 352 genera and 628 plant species are in arid zone area of Rajasthan. He also stated that 116 species from 99 genera and 52 families show ethnomedicinal properties and being used in different medicinal system to cure diseases (Bhandari, 1990).

Churu district of Rajasthan is a part of the Thar Desert and having adverse climatic conditions. Despite of it this area is dispersed with 188 plant species which belong to 142 genera of angiosperms. Major part of this vegetation is covered by 57.5% herbs, 13.3% trees, 10.6% grasses and 10.1% shrubs (Sweta & Sharma, 2018). Tripathi *et al.* (1996) surveyed many plants in Rajasthan and categorized 205 medicinal plants with their



International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> =8.152, **January-June 2025, Submitted in March 2025**

traditional applications. The medicinal plants can be used as different forms like powder, juice, paste and decoction. Snake bite, diarrhea, pain, cough, cold and many diseases may be treated with the use of traditional remedies using medicinal plants (Tripathi *et al.*, 1996).

In Churu district local people are using 68 plant species very frequently to cure different diseases like fever, diarrhea, piles, cough, asthma etc. People of old age are more aware about local medicinal plants than younger generation (Parveen *et al.*, 2007).

Study Area: According to the official website of District Churu, this district is one of the 41 districts of Rajasthan state which is situated in the Thar Desert area. The area of this district is approximate 16830 square km. having 08 tehsils including Churu, Sardarshahar, Ratangarh, Sujangarh, Sadulpur, Bidasar Sidhmukh and Taranagar. The area of Taranagar tehsil is 1805 square km. which is about 13% of the total area of Churu district. It is situated at 28°66'N Latitude and 75°03'E Longitude and 232 meters elevation from sea level. Taranagar city is 50 km. far from districts headquarter Churu and about 250 km. far from State Capital Jaipur (PRO, 2019).

One location has been selected for study on phytodiversity of medicinal plants in Taranagar tehsil which is a Sacred Grove near Kailash village of Taranagar tehsil and also known as 'Shyam Pandia Temple' reserve forest area. This is a 'Sacred Grove'. A very famous 'Shyam Pandia Temple' is situated in the middle of this area. This area is highly protected and harmful human activities are not allowed here. There is only a single way of going to the temple. People are allowed to protect and preserve local flora and fauna in this area but destructive activities are not allowed at any cost. This is a religious and sacred place for local people. The Biodiversity of this Sacred Grove is highly rich. Gymnosperm Ephedra and many more Angiosperms like Aloe vera, Acacia senegal, Boerhavia diffusa, Argemone maxicana, Leptadenia pyrotechnica, Pedalium murex, Capparis decidua, Chenopodium album are very common in this area.

Taranagar tehsil is placed in arid zone of the Thar Desert of Rajasthan. The deviation between the temperature of summer and winter season is exceptionally high. In May-June, the temperature rises up to 49-50°C. In winter season the temperature falls up to 0°C (IMD, 2019). The average annual rainfall of this area is 381mm. During summer season this area is adversely affected with 'Sandstorms'. (IMD, 2019).

Material and Methods: Plants were collected from study area in regular time intervals. Plants were collected during different phases of plant life like in young stage, flowering stage, fruiting stage and seed formation stage. No plants were harmed during collection time. A large-scale discussion, meetings and interviews were carried out with local villagers, hakims, saints and Ayurveda practitioners about identification and their uses as medicines. The Flora of British India (Hooker, 1975-97), the Flora of Rajasthan (Meena, 2015), An Illustrated and Photographic Flora of Rajasthan (Meena, 2017), Flora of Indian Desert (Bhandari, 1990), Flora of North East Rajasthan (Sharma & Tiagi, 1979), eFlora of BSI (EFlora, 2014), were used in taxonomic identification of plants.

Observations:

Family	Botanical Name	Local Name of	Plant Part(s)	Medicinal Uses
	of Plant	Plant	used	
Acanthaceae	Andrographis paniculata	Kalmegh	Leaf, Stem	Cold, Osteoarthritis, Tonsilitis
Aizoaceae	Trianthema portulacastrum	Safed Santo	Whole plant	Blood purifier, Anaemia, Night blindness
Amaranthaceae	Achyranthus	Latjira, Undo-	Whole plant,	Cough, Diuretic
	aspera	kanto	Roots	



International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> = 8.152, **January-June 2025, Submitted in March 2025**

			**** 1 1	
Amaranthaceae	Aerva persica	Bui	Whole plant,	Diuretic, Diarrhoea,
			Seeds, Flowers	Chest Pain
Amaranthaceae	Pupalia	Chiptio bharut	Whole Plant	Extract used as
	lappacea			Anticancer, Antipyretic,
				Anti-inflammatory
Asclepiadaceae	Calotropis	Aak, Aakdo	Roots, Flowers	Used with black pepper
	procera			to treat Malaria
Asclepiadaceae	Ceropegia	Khadula	Seeds	Paste used to treat
	bulbosa var.			deafness and ear
	bulbosa			diseases
Asclepiadaceae	Leptadenia	Kheemp	Whole plant	Antidiabetic, Wound
•	pyrotechnica		•	healing
Asteraceae	Eclipta alba	Bhringaraj, False	Whole plant,	Hair vitalizer and tonic,
	1	daisy	Leaves	Appetizer, Eye
		J		problems, Cough,
				Jaundice
Asteraceae	Launea	Jangli gobi	Leaves	Kidney dysfunction,
Tisteraceae	procumbens	Juligh gool	Leaves	Hormonal disorders
Asteraceae	Oligochaeta	Brahm buti	Whole plant	Hepatic disorders,
Asiciaceae	ramosa	Diamii outi	whole plant	Swelling, Antiemetic
Astomososo	Tridax	Dila harrani	Whole plant	
Asteraceae		Pilo bayoni,	Whole plant	High blood pressure,
	procumbens	Ghavpatta		Diarrhoea, Wound
D: :	71 11	D 1:1	D 1 G 1	Healing
Bignoniaceae	Tecomella	Rohida	Bark, Seed	Liver problems,
	undulata			Syp <mark>hl</mark> is, Eye
			3	complaints, Laxative
Boraginaceae	Cordia gharaf	Goondi	Roots, Bark	Root used for Malaria,
	Hg			Bark for Throat
		0		in <mark>fec</mark> tion
Capparidaceae	Capparis	Ker, Kair, Keriya	Whole Plant	Tooth <mark>ach</mark> e healer,
	decidua			Dysentery, Cholera,
				Renal disinfectant
Capparidaceae	Cleome	Hulhul,	Leaves, Roots,	Anaemia, Rheumatism,
• •	gynandra	Safed hulhul	Seeds	Intestinal worms,
			12 10 10 10	Diarrhoea
Celastraceae	Maytenus	Kankero	Leaf, Fruits	Leaves used as
	emarginata		,	Mouthwash for
	8		139	Toothache & Healing
			//	sores, Fruits in Ulcers,
				Piles and Blood purifier
Chenopodiaceae	Chenopodium	Bathua	Leaves	Laxative, Aphrodisiac,
Chehopodiaceae	album	Daniua	Leaves	Throat infections,
	шошн		1 1 1 m	Abdominal Pains
Convolvulaceae	Convolvulus	Chanlahnuahni	Whole plant	
Convoivulaceae	microphyllus	Shankhpushpi	Whole plant	Memory enhancer, Brain tonic
Convolvedono		Phooli	W/h ola Dlant	
Convolvulaceae	Evolvulus	Pnoon	Whole Plant,	Memory loss,
	alsinoides		Leaves, Flowers	Sleeplessness, Brain
C 1.1.	C': 17	Tr. 1	D . E .:	tonic, Epilepsy
Cucurbitaceae	Citrullus	Tumba,	Roots, Fruits,	Diabetes, Constipation,
	colocynthis	Desert gourd	Leaves	Jaundice, Leprosy
Cucurbitaceae	Cucumis	Kachri	Fruits, Seeds	Fruits are Anthelminthic
	callosus			& Antidiabetic, Seeds
				used during Bile &
				Liver disorders

International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> = 8.152, January-June 2025, Submitted in March 2025

Cucurbitaceae	Momordica	Barh-Karela	Whole plant	Fever, Rheumatism,
Cucuronaceae	balsamina	Dain Raioia	vviiole plant	Seeds in diabetes
Cyperaceae	Cyperus	Motho	Tubers	Bowel irritations,
	rotundus			Stomach disorders,
				Menstrual irregularities,
				Pyrosis
Funharhiagasa	Emblica	Amala	Fruits, Seeds,	Source of Vit C,
Euphorbiaceae	officinalis	Alliaia	Leaves, Bark,	Antioxidant, Ulcer,
	Officinais		Root	Nose bleeding
Euphorbiaceae	Euphorbia hirta	Dudhi,	Whole plant	Asthma, Cough,
Zupinoroiuccuc	Zupitoro turituri	Lal-dudhi	,, note plane	Bronchitis, Digestive
				problems
Euphorbiaceae	Jat <mark>ropha</mark>	Ratanjot	Leaves	Treatment of Guinea
•	gossypifolia	3		worms, Purgative
Euphorbiaceae	Ricinus	Arand, Castor	Leaves, Seeds,	Stomach disorders,
	communis		Seed oil	Arthritis, Constipation,
				Menstrual cramps
Fabaceae	Abrus	Chirmi, Ratti		
	precatorius			
Fabaceae	Acacia nilotica	Babul	Bark, Fruit Pods	Burns, Abdominal
P 1		T7		disorders, Diarrhoea
Fabaceae	<mark>Acacia</mark> senegal	Kumta	Gum	Burns, Intestinal
Folkassas	A 11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Cinia Canas	Lagrage Doub	inflammation
Fabaceae	Albizia lebbeck	Siris, Sares	Leaves, Bark, Pods	Cough, Eye flu, Night blindness, Inflammation
Fabaceae	Alysicarpus	Leel, Gumal	Shoot	Paste with Goat milk in
1 dodecae	monilifer	Leei, Guinai	Shoot	treatment of Jaundice,
				Antidote to Snakebite
Fabaceae	Dalbergia sissoo	Shisham	Leaves, Bark	Inflammation of breasts,
				Piles
Fabaceae	Prosopis	Khejri, Jaanti	Flowers, Bark	Skin diseases, Ear ache,
	cineraria			For safe pregnancy,
4				Asthma
Gnetaceae	Ephedra foliata	Unt phog	Whole plant	Abortion, Bronchitis,
		T. 1.	.	Pneumonia
Lamiaceae	Ocimum	Tulsi	Leaf	Extract used for Cough,
	sanctum		/_(Cold, Heart disease,
Liliaceae	Alognana	Ghritkumari,	Leave, Leaf Juice	Immunity booster
Linaceae	Aloe vera	Gwarpatha	Leave, Lear Juice	Skin Disease, Acidity, Constipation
Liliaceae	Asparagus	Satawari	Roots	Powder for Lactation in
Linaccae	racemosus	Satawari	Roots	mothers, Gastric ulcers
Lytharaceae	Lawsonia	Mehandi	Leaves	Anti-diabetic, anti-
	inermis	1.101141141	200,00	inflammatory, Wound
				healing, Anaemia,
				Jaundice
Malvaceae	Sida cordifolia	Kharinti	Whole plant	Fever, Rheumatism,
				Erectile dysfunction,
				Seeds in Bowel
				complications
Meliaceae	Azadirachta	Neem	Leaves, Stem	Teeth diseases, Itching,
	indica			Skin disorders

International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> = 8.152, January-June 2025, Submitted in March 2025

				T
Menispermaceae	Cocculus	Pilwani	Leaves, Roots	Leaves useful in
	hirsutus			Leucorrhoea &
				Headache, Roots
				powder with honey and
				milk useful in
				Rheumatism
Menispermaceae	Tinospora	Neem Giloy	Whole plant,	Improve platelets count,
	cordifolia		Stem	Fever, Asthma,
				Jaundice
Molluginaceae	Gisekia	Sureli	Whole plant	Strength booster after
	pharnaceoides			miscarriage, Seeds as
				Anthelminthic
Molluginaceae	Mollugo	Chirio ghas	Whole plant	Gout, Fever, Jaundice,
	cerviana			Hepatoprotective
Moraceae	Ficus riligiosa	Pipal	Bark, Leaves,	Ulcers, Prevent
		_	Fruits	conception, Piles
Moringaceae	Moringa	Sahjana	Whole plant	Young leaves for
Č ,	oleifera	3	•	Lactation, Bark for
	J			Cardiac problems &
				Appetizer, Flowers
				Rubefacient
Nyctaginaceae	Boerhaavia	Saata, Punarnava	Roots, Leaves	Snake bite, Blood
Tybugmaccuc	diffusa	Saara, Fallaria (a	redots, Leaves	pressure, Jaundice,
	cityfilser			Cardio tonic
Papavaraceae	Argemone	Satyanashi	Seeds, Roots	Constipation, Chronic
1 apavaraceae	maxicana	Saty anasm	beeds, Roots	fever, Malaria, Eczema
Pedaliaceae	Pedalium murex	Bada Gokhru	Fruits	Renal Calculus, Dysuria
Polygonaceae	Calligonum	Phog	Flower buds	Flower buds in Curd
Torygonaceae	polygonoides	Thog	1 lower bads	used to Treat
	porygonoides			Heatstroke, Improve
				digestion
Portulacaceae	Portulaca	Luni, Lunki	Whole plant	Vermifuge, Anti-
Torturacaccac	oleracea	Luiii, Luiiki	whole plant	inflammatory, Useful in
	Oteracea			Liver disorders &
				treatment of boils,
Q				blisters
Rhamnaceae	Zizinhus	Ber, Bordi	Roots, Leaves,	Menstrual Problems,
Kilalillaceae	Ziziphus nummularia	Bei, Boiui	Fruits	400
	nummutaria		riuits	Fever, Diarrhoea,
			-/-/	Ulcers, Cut & Wounds,
Dubiagaa	Domonia	Agio	Lagyag	Heat stroke
Rubiaceae	Borreria	Agio	Leaves	Hepatoprotective, Eye
	articularis		- dl P	conjunctivitis &
Destance	A 1 1	D'1	E-in Lanca	inflammation
Rutaceae	Aegle marmelos	Bilpatra, Bel	Fruits, Leaves	Fruits in Constipation
				and Digestive disorders,
C-1 1	C 1 1	N 41:41. 1	Clarat I	Leaves in Ulcers
Salvadoraceae	Salvadora	Mitha jaal	Shoot, Leaves,	Branches are used as
	oleoides		Fruits, Seeds	Miswak as a part of
				toothpaste & natural
				toothbrush, Edible fruits
	~	· · · · · · · · · · · · · · · · · · ·	~1 -	show cooling effect
Salvadoraceae	Salvadora	Jaal, Pilu, Kharo	Shoot, Leaves,	Shoot as Toothbrush,
	persica	jaal	Fruits, Seeds	Used in toothache,
				Fruits in Constipation &

International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> =8.152, **January-June 2025, Submitted in March 2025**

				Gastric problems, Seeds and Leaves in Rheumatism,
Solanaceae	Datura metel	Kala Dhatura	Seeds, Fruits,	Seeds in Baldness,
			Leaves	Fruits in Fever and
				Malaria, Leaves in
				Whooping cough & bronchitis
Solanaceae	Solanum nigrum	Makoi, Makoy	Whole plant	Tooth ache, Pneumonia,
				Tonsillitis, Fever
Solanaceae	Withania	Ashwagandha	Roots	Sexual disorders,
	somnifera			Miscarriage, Cough
Tiliaceae	Corchorus	Kagler, Kurand	Whole Plant	Decoction in Liver
	depressus			infections, Sexual tonic
				& Indigestion, Seed
				with jaggery during
				diarrhoea
Zygophyllaceae	Balanites	Hingotia	Fruits, Leaves,	Fruits used for Skin
	aegyptiaca		Roots	infections & Antidote
				for Scorpion bites,
				Leaves for Sleeping
				sickness, Root bark for
		A Section Co. Co., Desire		Anti malaria
Zygophyllaceae	Tribulus	Bhakhari, Chhota	Fruits, Stem	Stomach ache, Kidney
	terrestris	Gokhru		treatment

Results and Discussion:

The study illustrates about some selected 64 medicinal plants of sacred grove. These plants are well known among people but are not used as medicinal point of view frequently. Most of the people are even not aware about their respective medicinal properties and use alternate medications. The Government perhaps do not play their part in promotions for traditional use of these plants.

In this study it was found that 07 medicinal plants of Fabaceae family are being used by people. It is the largest family. Euphorbiaceae and Asteraceae family are having 04 medicinal plants from each family in studied area. Amaranthaceae, Asclepiadaceae, Cucurbitaceae and Solanaceae families are having 03 plants from each family which show medicinal properties. Capparidaceae, Convolvulaceae, Liliaceae, Menispermaceae, Molluginaceae, Salvadoraceae, and Zygophyllaceae families represent 02 medicinal plants from each family. Remaining 23 families represent one medicinal plant from each family. Although many other medicinal plants are also present in studied area but this study is based on the plants which are being used by local inhabitants and tribes as medicinal purpose. So, it is disappointing that despite of some people, most of the people of this area are not much aware about medicinal values of plants. They have a lot of medicinal plants in their surroundings but due to lack of awareness they do not use them. This study will help them to know about the surrounding plants and their therapeutic properties

References:

- 1. Bhandari, M.M. (1990). Flora of Indian Desert. Scientific Publisher, Jodhpur.
- 2. E Flora (2014). Botanical Survey of India Flora. Retrieved from http://efloraindia.nic.in/efloraindia/homePage.action.
- 3. Hooker, J. D. (1975-97). The Flora of British India. Retrieved from DOI: http://efloraindia.nic.in/efloraindia/homePage.action.

International Advance Journal of Engineering, Science and Management (IAJESM)

Multidisciplinary, Multilingual, Indexed, Double Blind, Open Access, Peer-Reviewed, Refereed-International Journal.

<u>SJIF Impact Factor</u> =8.152, January-June 2025, Submitted in March 2025

- 4. IMD (2019). Retrieved from India Meteorological Department, Govt. of India: http://www.imd.gov.in/pages/regional weather.php?view=frommap&state id=22.
- 5. Khan, J.B. & Gora, M.D. (2012). Biodiversity: An Overview. In: Environment Management and Biodiversity Conservation, (Ed.) J.B. Khan, Govt. Lohia College, Churu, 1-10.
- 6. Kumari, S., Shukla, G. & Rao, S.S.A. (2011). The Present Status of Medicinal Plants-Aspects and Prospects. *International Journal of Research in Pharmaceutical and Biomedical Science*, 2(1): 1-4.
- 7. Meena, K. L. (2015). Additions to the Flora of Rajasthan. Scholars Press, London.
- 8. Meena, K. L. (2017). An Illustrated and Photographic Flora of Rajasthan. Lap Lambrt Academic Publishing, London.
- 9. Parveen, Upadhyay, B., Roy, S. & Kumar, A. (2007). Traditional uses of Medicinal plants among the Rural communities of Churu district in the Thar Desert, India. *ScienceDirect: Journal of Ethnopharmacology, 113*(2007): 387-399.
- 10. PRO, (2019). Retrieved from Official Website of Churu District edited by Public Relation Officer (PRO): http://churu.rajasthan.gov.in/content/raj/churu/en/about-churu/blockstehsil-pnchayats.html.
- 11. Sharma, S. & Tiagi, B. (1979). Flora of North East Rajasthan. Kalyani Publication, New Delhi.
- 12. Singh, E. & Singh, M.P. (2010). Biodiversity and Phytosociological Analysis of Plants around the Municipal Drains in Jounpur. *International Journal of Biology and Life Science*, 6(2): 77-82.
- 13. Toksoy, D., Bayramoglu, M. & Hacisalihoglu, S. (2010). Usage and the Economic Potential of the Medicinal Plants in Eastern Black Sea Region of Turkey. *Journal of Environmental Biology*, 31(5): 623-628.
- 14. Tripathi, Y.C., Prabhu, V.V., Pal, R.S. & Mishra, R.N. (1996). Medicinal Plants of Rajasthan in Indian System of Medicine. Ancient Science of Life, 15: 190-212.

